

## **Løvvang Cup 2025**



Oil Pattern Distance Forward Oil Total Tank Configuration 40 16.6 mL Multi Tank Reverse Brush Drop Reverse Oil Total Tank A Conditioner 38 9.495 mL Current Oil Per Board Volume Oil Total Tank B Conditioner Multi ul 26.095 mL ICE

	START	STOP	LOADS	MICS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	2	50	14	3	Α	74	0.0	1.9	1.9	3700
2	4L	4R	2	50	14	3	Α	66	1.9	5.8	3.9	3300
3	7L	7R	2	50	18	3	Α	54	5.8	10.9	5.1	2700
4	8L	8R	2	50	18	3	В	50	10.9	16.0	5.1	2500
5	9L	9R	2	50	22	3	В	46	16.0	22.2	6.2	2300
6	10L	10R	2	50	22	3	В	42	22.2	28.4	6.2	2100
7	2L	2R	0	50	26	3	Α	0	28.4	40.0	11.6	0
l												
l												
l												
l												
l												
l												
ı												

	START	STOP	LOADS	MICS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	45	26	3	В	0	40.0	32.0	-8.0	0
2	11L	11R	2	45	22	3	В	38	32.0	25.8	-6.2	1710
3	10L	10R	2	45	22	3	В	42	25.8	19.6	-6.2	1890
4	9L	9R	2	45	18	3	В	46	19.6	14.5	-5.1	2070
5	7L	7R	2	45	18	3	В	54	14.5	9.4	-5.1	2430
6	5L	5R	1	45	14	3	В	31	9.4	7.5	-1.9	1395
7	2L	2R	0	50	14	3	В	0	7.5	0.0	-7.5	0

Cleaner Ratio Main Mix 5:1 Forward
Cleaner Ratio Back End Mix 5:1 Reverse
Cleaner Ratio Back End Distance 59 Combined
Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



	I	T	T		I	
Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	MIddle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	4.1	1.2	1	1	1.2	4.1



